APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

| Date of filing in State Engineer's Office | neer's Office OCT 12 2006 | | | |
|---|---------------------------|--|--|--|
| Returned to applicant for correction | | | | |
| Corrected application filed | | | | |
| Map filed | MAY 08 2006 under 74275 | | | |
| ** | **** | | | |

The applicant CENTEX HOMES hereby makes application for permission to change the **Point of Diversion Place of Use of a portion** of water heretofore appropriated under **PERMIT 66109**

- 1. The source of water is TRUCKEE RIVER
- 2. The amount of water to be changed 0.029 CFS NOT TO EXCEED 8.60 ACRE FEET ANUALLY
- 3. The water to be used for MUNICIPAL AND DOMESTIC
- 4. The water heretofore permitted for MUNICIPAL AND DOMESTIC
- 5. The water is to be diverted at the following point SEE EXHIBIT "A" ATTACHED HERETO AND MAP SUPPORTING APPLICATION 74275 2N FILE WITH THE STATE ENGINEER
- 6. The existing permitted point of diversion is located within SEE EXHIBIT "B" ATTACHED HERETO AND MAP SUPPORTING APPLICATION 58882 ON FILE WITH THE STATE ENGINEER.
- 7. Proposed place of use SEE EXHIBIT "C" ATTACHED HERETO AND MAP SUPPORTING APPLICATION 74275 ON FILE WITH THE STATE ENGINEER.
- 8 · Existing place of use SEE EXHIBIT "D" ATTACHED HERETO AND MAP SUPPORTING APPLICATIAON 62141 ON FILE WITH THE STATE ENGINEER.
- 9. Use will be from JANUARY 1 to DECEMBER 31 of each year.
- 10. Use was permitted from **JANUARY 1** to **DECEMBER 31** of each year.
- 11. Description of proposed works Water will be diverted into existing TMWA and/or Washoe County facilities, treated and placed into existing TMWA and/or Washoe County Distribution systems.
- 12. Estimated cost of works **EXISTING**
- 13. Estimated time required to construct works EXISTING
- 14. Estimated time required to complete the application of water to beneficial use **TEN YEARS**

15. Remarks:

By ROBERT E. FRITH s/Robert E Firth 360 E. RIVERVIEW CIRCLE RENO, NV 89509

| Compared sc/gkl lb/gkl | |
|--|--|
| Protested | ********* This is to certify that I have examined the foregoing application, and do by grant the same, subject to the following limitations and conditions: This permit to change the point of diversion and place of use a portion of the waters of the Truckee River as heretofore nted under Permit 66109, which changed the point of diversion, ce of use and manner of use of Claim 337/338, Truckee River ree, is issued subject to the terms and conditions imposed in decree and with the understanding that no other rights on the rice will be affected by the change proposed herein. A suitable suring device must be installed and accurate measurements of er placed to beneficial use must be kept. This permit does not extend the permittee the right of ress and egress on public, private or corporate lands. The issuance of this permit does not waive the requirements the permit holder obtain other permits from State, Federal local agencies. amount of water to be changed shall be limited to the amount which can be ied to beneficial use, and not to exceed 0.0290 cubic feet per second, but to exceed 8.60 acre-feet as decreed. must be prosecuted with reasonable diligence and proof of completion of work |
| | is to certify that I have examined the foregoing application, and do t the same, subject to the following limitations and conditions: is permit to change the point of diversion and place of use tion of the waters of the Truckee River as heretofore under Permit 66109, which changed the point of diversion, use and manner of use of Claim 337/338. Truckee River s issued subject to the terms and conditions imposed in ee and with the understanding that no other rights on the ll be affected by the change proposed herein. A suitable device must be installed and accurate measurements of ced to beneficial use must be kept. permit does not extend the permittee the right of nd egress on public, private or corporate lands. issuance of this permit does not waive the requirements permit holder obtain other permits from State, Federal agencies. of water to be changed shall be limited to the amount which can be beneficial use, and not to exceed 0.0290 cubic feet per second, but ceed 8.50 acre-feet as decreed. be prosecuted with reasonable diligence and proof of completion of work led on or before: In testimony whereof, I, tracy Taylor, P.E., State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 6th day of April, A.D. 2007 Control of the second of the |
| This permit to change of a portion of the water granted under Permit 66109 place of use and manner of Decree, is issued subject said decree and with the usurce will be affected by measuring device must be water placed to beneficial This permit does not ingress and egress on public The issuance of this | have examined the foregoing application, and do the following limitations and conditions: the point of diversion and place of use ers of the Truckee River as heretofore, which changed the point of diversion, of use of Claim 337/338, Truckee River to the terms and conditions imposed in inderstanding that no other rights on the the change proposed herein. A suitable installed and accurate measurements of use must be kept. It extend the permittee the right of ic, private or corporate lands. |
| applied to beneficial use, and ne | ot to exceed 0.0290 cubic feet per second, but |
| Work must be prosecuted with rea shall be filed on or before: | sonable diligence and proof of completion of work |
| N/A | |
| | |
| April 6, 2017 | |
| Map in support of proof of benefic | ial use shall be filed on or before: |
| <u>N/A</u> | |
| IN TEST | MONY WHEREOF, I, Tracy Taylor, P.E., |
| s | tate Engineer of Nevada, have hereunto set |
| m | y hand and the seal of my office, |
| t | his 6th day of April, A.D. 2007 |
| _ | State Engineer (P3) |
| Completion of work filed Novemb | er 12, 2004, under 71420 |
| Proof of beneficial use filed | |
| Cultural map filed N | 'A |
| Certificate No. | Tssued |

EXHIBIT "A"

The following describes the multiple points of diversion for Truckee Meadows Water Authority Water Treatment Plants and Washoe County Hidden Valley Induction Well 44, which are shown on the map accompanying Application No. ** The State of Nevada, Division of Water Resources, more particularly described as follows: ** 742 75**

STEAMBOAT CANAL (HUNTER CREEK RESERVOIR):

The existing point of diversion is situate within the Northeast one-quarter of the Southwest one-quarter (NE¼ SW¼) of Section 31, T.19N., R.18E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 31 bears South 62°04' East, a distance of 3,195.00 feet.

HIGHLAND DITCH (HIGHLAND RESERVOIR):

The existing point of diversion is situate within the Southwest one-quarter of the Southeast one quarter (SW% SE%) of Section 9, T.19N., R.18E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 9 bears South 75°16' East, a distance of 1,650.00 feet.

IDLEWILD TREATMENT PLANT:

The existing point of diversion is situate within the Southeast one-quarter of the Southeast one-quarter (SE% SE%) of Section 10, T.19N., R.19E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 10 bears South 69'57'58" East, a distance of 842.34 feet.

NORTH TRUCKEE DITCH (GLENDALE TREATMENT PLANT):

The existing point of diversion is situate within the Southwest one-quarter of the Northeast one-quarter (SW% NE%) of Section 7, T.19N., R.20E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Northeast corner of said Section 7 bears North 39°28' East, a distance of 3,015.00 feet.

ORR DITCH PUMP STATION (CHALK BLUFF TREATMENT PLANT):

The point of diversion is situate within the Northeast one-quarter of the Southeast one-quarter (NE¼ SE¼) of Section 17, T.19N., R.19E., M.D.B.&M., Washoe County, Nevada, from said point of diversion the Northeast corner of said Section 17 bears North 15°39'36" East, a distance of 3,264.77 feet.

ORR DITCH (CHALK BLUFF TREATMENT PLANT):

The point of diversion is situate within the Northeast one-quarter of the Southwest one-quarter (NE% SW%) of Section 17, T.19N., R.19E., M.D.B.&M., Washoe County, Nevada, from said point of diversion the Southwest corner of said Section 17 bears South 44°40' West, a distance of 3,211.00 feet.

WASHOE COUNTY (HIDDEN VALLEY INDUCTION WELL #4)

The point of diversion is situate within the West one-half of the Northwest one-quarter (W1/2 NW1/2) of Section 16 T.19N., R.20E., M.D.B.&M., Washoe County, Nevada from said point of diversion the West one-quarter corner of Section 21, T.19N., R.20E., M.D.B.&M. bears South 09*54*07*W a distance of 6929,94 feet.

Proposed Point of Diversion

The following describes the multiple points of diversion for Sierra Pacific Power Company Water Treatment Planes, which are shown on the map accompanying Application No. 58882 on file with the State of Neyada, Division of Water Resources, more particularly described as follows:

STEAMBOAT CANAL (HUNTER CREEK RESERVOIR):

The existing point of diversion is situate within the Northeast one-quarter of the Southwest one-quarter (NE1/4 SW1/4) of Section 31, T.19N., R.18E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 31 bears South 62°04' East, a distance of 3,195.00 feet.

HIGHLAND DITCH (HIGHLAND RESERVOIR):

The existing point of diversion is situate within the Southwest one-quarter of the Southeast one quarter (SW1/4 SE1/4) of Section 9, T.19Ni, R.18E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 9 bears South 75°16' East; a distance of 1,650.00 feet. 111

1931

IDLEWILD TREATMENT PLANT:

i yota

第四十百字字 66mm

The existing point of diversion is situate within the Southeast one-quarter of the Southeast one-quarter (SE1/4 SE1/4) of Section 10, T.19N., R.19E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Southeast corner of said Section 10 bears South 69°57'58" East, a distance of 842.34 feet.

NORTH TRUCKEE DITCH (GLENDALE TREATMENT PLANT):

The existing point of diversion is situate within the Southwest one-quarter of the Northeast one-quarter (SW1/4 NE1/4) of Section 7, T.19N., R.20E., M.D.B.&M., Washoe County, Nevada, from said point of diversion, the Northeast corner of said Section 7 bears North 39°28' East, a distance of 3,015:00 feet.

ORR DITCH PUMP STATION (CHALK BLUFF TREATMENT PLANT):

The point of diversion is situate within the Northeast one-quarter of the Southeast onequarter (NE1/4 SE1/4) of Section 17, T.19N., R.19B., M.D.B.&M., Washoe County, Nevada, from said point of diversion the Northeast corner of said Section 17 bears North 15°39'36. East, a distance of 3,264.77 feet.

ORR DITCH (CHALK BLUFF TREATMENT PLANT):

1988

19. 19.

. j.

North 189 .

112

The point of diversion is situate within the Mortheast one quarter of the Southwest onequatter (NE1/4 SW1/4) of Section 17, T.19N., R.19E., M.D.B.&M., Washoe County, Nevada, from said point of diversion the Southwest corner of said Section 17 bears South 44°40' West, a distance of 3,211.00 feet.

4.

EXHIBIT "A" PROPOSED PLACE OF USE

| DIVISION | SECTION | T-N | <u>R-E</u> | |
|------------|---------|----------|------------|------------|
| ALL | 1-5 | 18 | 18 | M.D.B.& M. |
| Έ ኤ | C & G | % | Ei. | MARRIM. |
| ALL | 8 – 17 | 18 | 18 | M.D.B.& M. |
| E 1/2 | 18 & 19 | 18 | 18 | M.D.B.& M. |
| ALL | 20 – 29 | 18 | 18 | M.D.B.& M. |
| E 1/2 | 30 & 31 | 18 | 18 | M.D.B.& M. |
| ALL | 32 – 36 | 18 | 18 | M.D.B.& M. |
| ALL | 1-5 | 19 | 18 | M.D.B.& M. |
| E 1/2 | 6 & 7 | 19 | 18 | M.D.B.& M. |
| ALL | 8 – 17 | 19 | 18 | M.D.B.& M. |
| E 1/2 | 18 & 19 | 19 | 18 | M.D.B.& M. |
| ALL | 20 – 29 | 19 | 18 | M.D.B.& M. |
| E 1/2 | 30 & 31 | 19 | 18 | M.D.B.& M. |
| ALL | 32 – 36 | 19 | 18 | M.D.B.& M. |
| ALL | 1-5 | 20 | 18 | M.D.B.& M. |
| E1/2 | 6&7 | 20 | 18 | M.D.B.& M. |
| ALL | 8-17 | 20 | 18 | M.D.B.& M. |
| EУ | 18 & 19 | 20 | 18 | M.D.B.& M. |
| ALL | 20 – 29 | 20 | 18 | M.D.B.& M. |
| E ½ | 30 & 31 | 20 | 18 | M.D.B.& M. |
| ALL | 32 – 36 | 20 | 18 | M.D.B.& M. |
| ALL | 1-5 | 21 | 18 | M.D.B.& M. |
| E 1/2 | 6 & 7 | 21 | 18 | M.D.B.& M. |
| ALL | - 8-17 | 21 | 18 | M.D.B.& M. |
| E ½ | 18 & 19 | 21 | 18 | M.D.B.& M. |
| ALL | 20 – 29 | 21 | 18 | M.D.B.& M. |
| E ½ | 30 & 31 | 21 | 18 | M.D.B.& M. |
| ALL | 32 – 36 | 21 | 18 | M.D.B.& M. |
| ALL | 1 – 36 | 17 | 19 | M.D.B.& M. |
| ALL | 1 – 36 | 18 | 19 | M.D.B.& M. |
| ALL | 1 – 36 | 19 | 19 | M.D.B.& M. |
| ALL | 1 – 36 | 20 | 19 | M.D.B.& M. |
| ALL | 1 – 36 | 21 | 19 | M.D.B.& M. |

| | EXHIBIT TO Proposed Place of Use | | | | 66109 |
|--|----------------------------------|------------|--------------------------|---------------|---|
| DIMESON | · .1-# | | i | . , | |
| <u>DIVISION</u> | SECTION | <u>T-N</u> | | , | |
| ALL | 1.5 | 18 | 18 | · M | D.B.&M. |
| E1/2 ALL | 68.7 | . 18 | 18 | | D.B.&M. |
| E1/2 | 8-17 18&19 | | 18 | " 'M | D.B.&M |
| ALL | 20-29 | | 118. | | D.B.&M D.B.&M |
| ALL ALL | 30&31 | . 18 | 18 | | D.B.&M. |
| , ALL | 32-36 | | St. 518 2 | | D.B.&M. |
| ALL | li-5 | | | M | D.B.&M. |
| E1/2 ALL | 6827 | 19 | 18 | | D.B.&M. |
| E1/2 | 8-17 18&19 | . 19 | 18 | | D.B.&M. |
| ALL | 20:29 | 19 19 | 18 18 | | D.B.&M. D.B.&M. |
| E1/2 | 30&31 | . 19 | 18 | | D.B.&M |
| ALL | 32-36 | 19 | 18 | | D.B.&M |
| ALL | 1-5 | 20 | 7. 18 | | D.D. S.M. desi |
| E1/2 | 6&7 | 20 | 18 | | D.B.&M. D.B.&M. |
| ALL E1/2 | 8-17 | . 20 | 18 | | D.B.&M. |
| ALL | 18&19 20-29 | 20 | 18 | | D.B.&M. |
| E1/2 | 30431 | 20 20 | 18 18 | | р.в.&м . D. в.&м . |
| ALL THE STATE OF T | 32 36 | 20 | 18 | | D.B.&M. |
| ALL | 1-3. | | | | |
| E1/2 | 6&7 | 21 21 | . 18 18 | | D.B.&M. D.B.&M. |
| ALL MAN AND AND AND AND AND AND AND AND AND A | 6&7 8-17 | | × 18 | | D.B.&M. |
| EI/2 | 18&19 20-29 | ·· 21 | g-1 . 18 | | D.B.&M. |
| 1, E1/2 | 308.31 | 21 | 78 18 | | D.B.&M. |
| ALL | 32-36 | 21 | 18 | | D.B.&M. D.B.&M. |
| ATT | 161. | | 44 | | |
| ALL | 1-36 | . 18 | 19 | M.I |) В. ф М. |
| ALL | 1.36 | 19: | 19 | MI | D.B.&M. |
| | | | . 1 + ₹ [†] . 1 | 172.12 | P.B.GIVI. |
| ALL | 1-36 | 20 | 19 | M.I | D.B.&M. |
| ALL | 1-36 | 21 | 19 | M t | О.В.&М.` |
| | 13 | | • | *** | , p.d.vi. |
| ALL W1/2 | 2-35. 36 . | - 18 | 20 | |).В.&M. |
| 77.77 | 20.7 | 18 | 20 | M.L |).B.&M. |
| ALL | 1-12 | 19 | 20 | M.I |) B.&M: |
| ALL | 14-23 | . 19 | r 20 1 | - M .I |):B.&M |
| Aur San San | 26-35 | 19 | rr 20 : | I.M. |).B.&M. |
| $\mathbf{A}^{'}\mathbf{\Pi}^{'}$ | 1-36 | 20 | 20 | M.I |).₿.&М. |
| | | | .i - | | |
| | .1-36 | 2I | vii 20 | MI |).B.&M. |
| ALL | 1-36 | 20 | 21 | Mr |).B.&M. |
| | | | ** | | |
| ACL | 1-36 | . 21 | 21 | M.E | B.&M. |

DIVISION SECTION T-N R-E ALL 5&6 16 M.D.B.& M. 20 ALL 1 - 3617 20 M.D.B.& M. ALL 2 - 3518 20 M.D.B.& M. W 1/2 36 18 20 M.D.B.& M. ALL 1 - 1219 20 M.D.B.& M. ALL 14 - 2319 20 M.D.B.& M. ALL 26 - 3519 20 M.D.B.& M, ALL 1 - 3620 20 M.D.B.& M. ALL 1 - 3621 20 M.D.B.& M. ALL 1 - 3620 15 M.D.B.& M. ALL 1 - 3621 21 M.D.B.& M.

See supporting map accompanying application 14-275

T-586 P.84/84 F-986

FROM-WC DWR (775) 954-4600